



Dear Professional,

Welcome to Presco, America's premier manufacturer of industrial and commercial marking products and customized PVC films.

At Presco, we've built a 60-year reputation for extraordinary service and satisfaction, continually focusing on exceeding our customers' outdoor non-verbal communication needs by delivering not just products, but solutions. We'll do whatever it takes to ensure that your orders are filled, your deadlines beaten and your special requests met – all by a company that anticipates and responds to your needs. That's what we mean by "raising your expectations."

From barricade tape to marking whisksers, roll flagging to underground tape, marking paint to specialty items, you have my personal assurance Presco manufactures the highest-quality commercial marking products on the market today, and offers them at the most competitive prices. At any time, should you find our products or service lacking in any way, I urge you to call me at 214.673.2067, anytime 24 x 7 x 365. And I'll make it right.

Waymon E. McMackin
President

Table of Contents

	Marking Flags	
	Solid & Printed Marking Flags	2
	Marking Flag Staff Specifications & Packaging	3
	Day/Night Visibility Marking Flags	4
	Marking Flag Insertion Tool	4
	Striped High Profile Marking Flags	5
	Biodegradable Marking Flags & Staffs	5
	Barricade Tape	
	Barricade Tape	6
	Day/Night Visibility Barricade Tape	7
	High Visibility PVC Barricade Tape	7
	Biodegradable Barricade Tape	8
	Woven Barricade Tape	8
	Adhesive Marking Tape	
	Hazard/Warning Tape – Striped	9
	Aisle Marking Tape – Solid	9
	Underground Warning Tape	
	Detectable Underground Warning Tape	10
	Non-Detectable Underground Warning Tape	11
	Roll Flagging	
	Solid Color Roll Flagging	12
	Printed Roll Flagging	13
	Patterned Roll Flagging	13
	Day/Night Visibility Roll Flagging	14
	Nursery Roll Flagging	14
	SizeRite™ Pocket Flagging	15
	Biodegradable Roll Flagging	15
	Roll Flagging Belt Dispenser	15
	Presco Extruded Film	
	Special Width PVC	16
	Customized Film	16
	Marking Whisksers	
	Marking Whisksers™	17
	Specialty Marking Products	
	Easy Tear-Off Markers™	18
	Pennant Flags	18
	Aerial Paneling	19
	Aerial Targets	19
	Panasonic Alkaline Batteries	19
	Paint & Chalk	
	Krylon Industrial Quick-Mark™ Inverted Marking Paint	20
	Krylon Industrial Quick-Mark™ Inverted Marking Chalk	21
	Krylon Inverted Marking Wands	21

Products represented in this publication are not guaranteed to be in stock and may be considered a custom order. Please ask a Presco representative for more details. 3/04


Color Legends

Due to limitations in the printing process of this publication, actual material/ink colors cannot be accurately reproduced. The following colors are close representations for your selection convenience.


Standard Colors

	BK = Black
	B = Blue
	DB = Dark Blue
	LB = Light Blue
	BRN = Brown
	CLR = Clear
	G = Green
	DG = Dark Green
	LG = Light Green
	O = Orange
	P = Pink
	PP = Purple
	R = Red
	SV = Silver
	W = White
	Y = Yellow

PresGlo Colors









	BG = PresGlo Blue
	GG = PresGlo Green
	LG = PresGlo Lime
	OG = PresGlo Orange
	PG = PresGlo Pink
	RG = PresGlo Red
	YG = PresGlo Yellow

Night Visibility Color

	NVS = Night Visibility Silver
---	-------------------------------

APWA Uniform Color Codes

The American Public Works Association (APWA) recommends the following guidelines be used when marking underground facilities.

	White = Proposed Excavation
	Pink = Temporary Survey Markings
	Red = Electric Power Lines, Cables, Conduit and Lighting Cables
	Yellow = Gas, Oil, Steam, Petroleum or Gaseous Materials
	Orange = Communication, Alarm or Signal Lines, Cables or Conduit
	Blue = Potable Water
	Purple = Reclaimed Water, Irrigation and Slurry Lines
	Green = Sewers and Drain Lines

You Benefit From Our Exacting Prescolene™ Process

A key reason for Presco's sterling reputation in the field is the exclusive Prescolene™ manufacturing process at our Sherman, Texas facility. (Yes, **all** of our manufacturing is done right here in the U.S.A.) The exacting Prescolene™ process ensures total control over product quality and customization for our customers. It also fosters innovation and creativity, often in the form of new formulations and customized inks and products to meet each customer's unique specifications.

PRESCOLENE™
PROCESS IN ACTION

Look for this icon throughout our catalog to learn more about the benefits of our Prescolene™ process.

Product Disclaimer

Presco is committed to ongoing product improvement. Please be advised that specifications, performance, parameters, appearance and dimensions of Presco Marking Products are subject to change without notice. Information provided about Presco Marking Products is based on testing conducted by Presco under controlled conditions and is intended for comparison and general information purposes only. The conditions of actual use may vary and are beyond Presco's control – we cannot guarantee the same results will be obtained under different conditions. Please contact a Presco representative for up-to-date information.

Return Policies

All shipments should be inspected upon receipt. Any product returns must be completed 30 days from the date received. If product needs to be returned, Presco must be contacted for return authorization. The RGA number must accompany all return shipments. Product returned devoid of Presco culpability must be shipped at the customer's expense. Presco will pay transportation charges and apply credit for merchandise when an error in manufacturing is determined. A 20% restocking fee will be charged for all products returned in sellable condition. Custom manufactured products cannot be returned.

Solid & Printed Marking Flags



2" x 3" Marking Flags


Actual flag size: 2.5"H x 3.5"W
Minimum order: 1,000 flags (1 box)

4" x 5" Marking Flags

Actual flag size: 4"H x 5"W
Minimum order: 1,000 flags (1 box)

5" x 8" Marking Flags

Actual flag size: 5"H x 8"W
Minimum order: 1,000 flags (1 box)



Marking Flag Print Area Specifications

2" x 3" flag print area: 1.5"H x 1.5"W
4" x 5" flag print area: 3"H x 3.5"W
5" x 8" flag print area: 4"H x 4.5"W

PRESCOLENE™ PROCESS IN ACTION


New Enhanced Formula – Presco has applied the Prescolene™ process to develop a superior material formula for our PVC Marking Flags that promotes resistance to the market dilemma of breakage and tearing under high wind conditions.

Presco high-quality Solid and Printed Marking Flags are ideal for aboveground marking in a variety of industries. From utility construction to line locating, hardware to forestry, landscaping and lawn care to pet containment – these flags ensure consistent communication and long-lasting visibility for your project.

- Bright inks for high visibility
- Long-lasting material colors
- Wind tear resistant for high performance at or below -40°F
- Flag is glued to staff – not wrapped
- Back-of-flag fold creates a larger print area
- Colored PVC staffs available for enhanced visibility
- All APWA colors provided, see page 1 for codes
- Private labeling, UPC coding and other custom packaging requirements available

Standard PVC Material Colors

See Color Legends for more details, page 1.
Most flags available in all colors.




PresGlo PVC Material Colors

See Color Legends for more details, page 1.
Most flags available in all colors.



Standard Ink Colors

See Color Legends for more details, page 1.
Custom ink matching available.



PresGlo Ink Colors

See Color Legends for more details, page 1.
Custom ink matching available.



Staff Material, Color and Length Specifications

See Marking Flag Staff Specifications and Packaging for options and details, page 3.

PRESCO
QUICK TIP

Save time and back pain with the Presco Marking Flag Insertion Tool, page 4.

Marking Flag Staff Specifications & Packaging

Presco Custom Prints Marking Flags – 1 or 2 Colors

Presco has hundreds of screens with various standard legends available to our customers (visit www.presco.com for a current listing of screen legends). Upon request, custom screens can be produced for your specific needs. Custom screen charge may apply. Custom ink color matches are available. Presco's proprietary printing process requires controlled parameters. Please ask a Presco representative for details before placing your order.

Presco Marking Flag Staffs are available in your choice of steel, plastic or fiberglass. Steel wire staffs are constructed of high-carbon alloy steel for added tensile strength and bend resistant stability. Colorful plastic staffs provide increased safety around machinery and children. Fiberglass staffs are excellent for cold weather conditions, especially in the snow.

Standard PVC Plastic Staff Colors

See Color Legends for more details, page 1.



PresGlo PVC Plastic Staff Colors

See Color Legends for more details, page 1.



PRESCO
QUICK TIP

Ask about our 2" extended flag staffs which you can loop for easy pulling/removal.

Staff Material	Construction	Lengths	Packaging
Steel Wire Staffs	16-gauge Steel	12"* , 15"* , 18"* 21" , 24" , 30" , 36"	1,000/Box (10 Bundles of 100)
Heavy Steel Wire Staffs	Heavy 13-gauge Steel	18"*	1,000/Box (10 Bundles of 100)
Plastic Staffs	Sturdy 1/8" PVC Plastic	18"* , 21" , 24" , 30"	1,000/Box (20 Bundles of 50)
Fiberglass Staffs (White)	Rigid 0.080" Diameter Fiberglass	18"* , 24"	1,000/Box (20 Bundles of 50)

* Staff lengths available for 2" x 3" and 4" x 5" Marking Flags only.



Marking Flags

Day/Night Visibility Marking Flags



4" x 5" Day/Night Visibility Marking Flags

Actual flag size: 4"H x 5"W
Customization print area: 3"H x 3.5"W
Minimum order: Call for details.

PRESCOLENE™
PROCESS IN ACTION

Brand New Technology – Presco Day/Night Visibility Marking Flags are formulated with an exclusive nighttime visibility (NV) silver ink that is combined with our superior PVC plastic to provide a cost-effective and disposable solution to your customers' nighttime needs. In the dark, when a beam of light is directed at the stripes, light bounces back towards the source for enhanced nighttime visibility.

PresGlo PVC Material Colors

See Color Legends for more details, page 1.



Night Visibility Ink Color

See Color Legends for more details, page 1.



NVS

Standard Ink Color

See Color Legends for more details, page 1.



BK

Staff Material, Color and Length Specifications

See Marking Flag Staff Specifications and Packaging for options and details, page 3.

Custom Day/Night Visibility Marking Flags are Available

Within the customization print area, artwork can be printed in black to add valuable messaging or personalization. Presco has hundreds of screens with various standard legends available to our customers (visit www.presco.com for a current listing of screen legends). Upon request, custom screens can be produced for your specific needs. Custom screen charge may apply. Presco's proprietary printing process requires controlled parameters. Please ask a Presco representative for details before placing your order.

Marking Flag Insertion Tool



Dual-tip for insertion tool.

It saves time – not to mention your back. The Presco Marking Flag Insertion Tool is made of durable, rustproof machined aluminum, and is fitted with a padded handle and a dual-tip design to provide comfort and ease of use.

Flag insertion as easy as...



Place Insertion Tool at the bottom of the flag staff.



Press down until desired depth is reached.



Pull out Insertion Tool.

Striped High Profile Marking Flags



4" x 5" High Profile Marking Flags

Actual flag size: 4"H x 5"W
Minimum order: Call for details.

Easily identified from a distance, Presco Striped High Profile Marking Flags are designed to stand out against Solid Color Marking Flags in heavily marked areas.

Standard Color Combinations (PVC Material/Ink)

See Color Legends for more details, page 1.



PresGlo Color Combinations (PVC Material/Ink)

See Color Legends for more details, page 1.



Staff Material, Color and Length Specifications

See Marking Flag Staff Specifications and Packaging for options and details, page 3.

Custom Options Available for High Profile Marking Flags

Upon request, we can produce High Profile Marking Flags with Checkerboard or Polka Dot patterns. Custom material and ink color combinations are also available. Please ask a Presco representative for details before placing your order.

Biodegradable Marking Flags & Staffs




4" x 5" Biodegradable Marking Flags

Actual flag size: 4"H x 5"W
Customization print area: 3"H x 3.5"W
Minimum order: 5,000 flags (5 boxes)

Presco Biodegradable Flags and Staffs are today's most environmentally friendly marking solution. These flags are made of non-woven cellulosic material derived from wood pulp. They are completely non-toxic to humans, animals and the environment. Biodegradable Flag Staffs are constructed of wood (24" length) which guarantees complete degradation of the entire product.

Biodegradable Material Colors

See Color Legends for more details, page 1.



Standard Ink Color

See Color Legends for more details, page 1.



Presco Custom Prints Biodegradable Marking Flags

Within the customization print area, artwork can be printed in black to add valuable messaging or personalization. Presco has hundreds of screens with various standard legends available to our customers (visit www.presco.com for a current listing of screen legends). Upon request, custom screens can be produced for your specific needs. Custom screen charge may apply. Printing on biodegradable material requires controlled parameters. Please ask a Presco representative for details before placing your order.

Barricade Tape



Material Thicknesses

2, 2.5, 3, 4 and 6 Mil

Roll Width

3"
Custom widths available upon request.

Roll Lengths

200', 300' and 1,000'
Custom lengths available upon request.

Minimum Order

Call for details.

PRESCO QUICK TIP

Barricade Tape is often sold in cases. Below are the standard quantities packaged per case:

3" x 300' = 16 rolls/case

3" x 1,000' = 8 rolls/case


Packaging can be altered for your custom needs.

Manufactured for durability and resistance to the elements, Presco Barricade Tape is recognized worldwide as the preferred co-extruded polyethylene tape for marking danger areas and special instructions. Among its many satisfied customers are professionals in the fields of law enforcement, safety, construction, painting, mining, hardware and utilities.

- Economical, disposable marking solution
- Variety of Mil thicknesses available for different project needs
- Private labeling, UPC coding, and other custom packaging requirements available

PE Material Colors

*See Color Legends for more details, page 1.
Most Mil thicknesses available in most colors.*



Standard Ink Colors

*See Color Legends for more details, page 1.
Custom ink matching available.*



Striped Combination (Material/Ink)

*See Color Legends for more details, page 1.
Additional color combinations available upon request.*



Presco Custom Prints Barricade Tape – from 1 to 4 Colors

Presco has hundreds of mats with various standard legends available to our customers (visit www.presco.com for a current listing of mat legends). Upon request, custom mats can be produced for your specific needs. Custom mat charge will apply. Presco's proprietary printing process requires controlled parameters. Custom ink color matches and double-sided printing are also available. Please ask a Presco representative for details before placing your order.

Presco Barricade Tape exceeds all industry specs, including:

- Occupational Safety and Health Administration (OSHA): Regulation 1910-144(a) Safety Color Code for Marking Physical Hazards
- Occupational Safety and Health Administration (OSHA): Regulation 1926-956(c)(1) covering trenching and excavating



Day/Night Visibility Barricade Tape



Material Thicknesses

2, 2.5 and 3 Mil

Roll Width

3"

Custom widths available upon request.

Roll Length

1,000'

Custom lengths available upon request.

Minimum Order

Call for details.

High Visibility PVC Barricade Tape



Material Thickness

3 Mil

Roll Width

3"

Custom widths available upon request.

Roll Length

500'

Custom lengths available upon request.

Minimum Order

Call for details.

PRESCOLENE™ PROCESS IN ACTION

Brand New Technology – Presco Day/Night Visibility Barricade Tape is formulated with an exclusive nighttime visibility (NV) silver ink that is combined with our superior co-extruded polyethylene to provide a cost-effective and disposable solution to your customers' nighttime needs. In the dark, when a beam of light is directed at the legend, light bounces back towards the source for enhanced nighttime visibility.

PE Material Colors

See Color Legends for more details, page 1.



Night Visibility Ink Color

See Color Legends for more details, page 1.



Standard Ink Color

See Color Legends for more details, page 1.



Presco Prints Day/Night Visibility Barricade Tape in 1 or 2 Colors

Mat legends on this product can be printed in NV silver, or alternating NV silver and black inks, thereby providing enhanced day and nighttime communication for your project. Limitations on standard and custom legends may apply. Custom mat charge will apply. Please ask a Presco representative for details before placing your order.

Some projects have extended schedules or take place under harsh weather conditions creating extreme liability. Presco High Visibility PVC Barricade Tape is wind tear resistant and formulated for high performance at or below -20°F. The PresGlo PVC material also provides vibrant, long-lasting color.

PresGlo PVC Material Colors

See Color Legends for more details, page 1.



Standard Ink Color

See Color Legends for more details, page 1.



Night Visibility Ink Color

See Color Legends for more details, page 1.



Presco Prints High Visibility PVC Barricade Tape in 1 or 2 Colors

Mat legends on this product can be printed in black, or alternating black and NV silver inks, thereby providing enhanced day and nighttime communication for your project. Limitations on standard and custom legends may apply. Custom mat charge will apply. Please ask a Presco representative for details before placing your order.

Biodegradable Barricade Tape



Roll Width

3"

Roll Length

150'

Minimum Order

Call for details.

Biodegradable Material Colors

See Color Legends for more details, page 1.



Standard Ink Color

See Color Legends for more details, page 1.



Presco Prints on Biodegradable Barricade Tape

Standard legends printed on this product are: "Caution" or "Caution Do Not Enter" on yellow and "Danger" or "Danger Do Not Enter" on red. Please ask a Presco representative for details before placing your order.

Woven Barricade Tape



Roll Width

2"

Roll Lengths

150' and 200'

Minimum Order

Call for details.

Striped Color Combinations (Woven Materials)

See Color Legends for more details, page 1.



Presco Woven Barricade Tape is an extra-durable polypropylene tape that offers a long-lasting marking solution for off-limit or hazardous areas and crowd control. The tensile strength is 300 lbs. for 2" wide tape.

Hazard/Warning Tape – Striped



Material Thickness

6 Mil

Roll Widths

2" and 3"

Roll Lengths

18 and 36 yards

Minimum Order

1 case (24 rolls)

**Striped Color Combinations
(PVC Material/Ink)**

See Color Legends for more details, page 1.



W/R Y/BK

Presco long-lasting, 6 Mil Aisle Marking Tape is perfect for a wide range of APWA color coding applications, see page 1 for codes. Uses include lane marking, striping, sealing, decorating and OSHA required safety coding. It adheres firmly, yet removes easily from most surfaces.

Aisle Marking Tape – Solid



Material Thickness

6 Mil

Roll Width

2"

Roll Length


36 yards

Minimum Order

1 case (24 rolls)

PVC Material Colors

See Color Legends for more details, page 1.



BK B G R W Y

Detectable Underground Warning Tape



Material Thickness

5 Mil

Roll Widths

2", 3" and 6"

Roll Length

1,000'

Minimum Order

Call for details.



For jobs that require deep tape burial, we recommend our wider 6" tape which provides a larger surface area of metal for easier detection.

Presco Detectable Underground Warning Tape is used for accurately locating and preventing damage to valuable underground utility installations. It has an aluminum backing to make underground assets easy to find using a non-ferrous locator. Properly installed, this tape helps avoid catastrophically inaccurate digging when locating utilities such as electrical lines, gas pipes and communication cables.

- Endures temperatures from -60°F to 250°F
- Permanently imprinted with black ink
- Durable laminate construction
- APWA colors provided, see page 1 for codes
- Private labeling, UPC coding and other custom packaging requirements available

Detectable Material Colors

See Color Legends for more details, page 1.



Standard Ink Color

See Color Legends for more details, page 1.



Presco Prints Detectable Underground Warning Tape

Presco has numerous mats with various standard legends available to our customers (visit www.presco.com for a current listing of mat legends). Upon request, custom mats can be produced for your specific needs. Custom mat charge will apply. Presco's proprietary printing process requires controlled parameters. Please ask a Presco representative for details before placing your order.

Presco Underground Warning Tape (Detectable and Non-Detectable) exceeds all industry specs, including:

- American Gas Association (AGA): 72-D-56
- American Petroleum Institute (API): Code API RP 1109
- American Public Works Association (APWA): APWA Uniform Color Code (see chart on page 1)
- Department of Transportation (DOT): Office of Pipeline Safety USAS Code for Pressure Piping B31.8
- Federal Gas Safety: Regulation S-192-321(e)
- General Services Administration (GSA) Public Buildings Service Guide: PBS 4-1501, Amendment 2
- National Transportation Safety Board (NTSB): 1973 Report PSS-73-1
- Occupational Safety and Health Administration (OSHA): Regulation 1926-956(c)(1) covering location of underground utility lines
- Rural Electrification Authority (REA): National Electric Safety Code for Underground Construction Hazards

Non-Detectable Underground Warning Tape



Presco Non-Detectable Underground Warning Tape prevents damage to underground utility lines during excavation. Following code parameters, bury this tape above electrical lines, gas pipes, communication cables and other utility installations. Resistant to underground elements, this heavy metal-free co-extruded polyethylene tape serves as a highly visible proximity warning device that will not turn black over time.

- Heavy metal-free
- APWA colors provided, see page 1 for codes
- Long-lasting colors to protect utility lines
- Exceeds all industry specs, see page 10
- Private labeling, UPC coding and other custom packaging requirements available

Material Thicknesses

4 and 6 Mil

Roll Widths

3" and 6"

Custom widths available upon request.

Roll Lengths

1,000' and 3,000'

Custom lengths available upon request.

Minimum Order

Call for details.

PE Material Colors

See Color Legends for more details, page 1.



Standard Ink Color

See Color Legends for more details, page 1.



Presco Prints Non-Detectable Underground Warning Tape

Presco has numerous mats with various standard legends available to our customers (visit www.presco.com for a current listing of mat legends). Upon request, custom mats can be produced for your specific needs. Custom mat charge will apply. Presco's proprietary printing process requires controlled parameters. Please ask a Presco representative for details before placing your order.



Underground Warning Tape

Roll Flagging

Solid Color Roll Flagging



Material Thicknesses

See Material Grade chart.

Roll Widths

1" and 1 3/16" (varies by grade)

Custom widths available upon request.

Roll Lengths

Standard color material = 300'

PresGlo color material = 150'

Cruiser grade material = 100'

Custom lengths available upon request.

Minimum Order

1 carton (number of rolls/carton varies)



Presco offers Perforated Roll Flagging featuring interval perforations for quick, neat tear-offs. Ask a Presco representative for more information on this efficient option before placing your order.

Colorful and highly visible, Presco Solid Color Roll Flagging is the most durable, longest-lasting outdoor flagging available anywhere thanks to proprietary formulations and annealing. Added plasticizer packages yield maximum physical properties including tensile strength. (That means you get stronger product for the same price.) Presco extrudes 5 grades of flagging to best suit your project needs. Presco Roll Flagging is the most asked for flagging by industry professionals in surveying, construction, forestry, nursery, mining, geophysics, hardware and oil exploration.

- Non-toxic
- Non-flammable
- All APWA colors provided, see page 1 for codes
- Private labeling, UPC coding, and other custom packaging requirements available

Material Grades	Grade Advantages	Mil Thickness by Material Color	Temperature Resistance
Matte	Economical, highly visible	Standard Colors 2.0 Mil PresGlo Colors 2.0 Mil	-20°F
Texas	Texas-shaped embossing, superior weathering	Standard Colors 2.0 Mil PresGlo Colors 3.0 Mil	-20°F
Taffeta	Thicker Mil, heavy embossing	Standard Colors 2.5 Mil PresGlo Colors 4.5 Mil	-10°F
Arctic	Excellent durability and performance at low temperatures	Standard Colors 3.0 Mil PresGlo Colors 5.0 Mil	-40°F
Cruiser	Most cold resistant performance, perforated every meter	PresGlo Colors 7.0 Mil	-60°F

Standard PVC Material Colors

See Color Legends for more details, page 1.
Most colors available in all grades.



PresGlo PVC Material Colors

See Color Legends for more details, page 1.
Most colors available in all grades.



Roll Flagging



Printed Roll Flagging



Material Thickness

Matte grade

Roll Width

1 1/2"

Custom widths available upon request.

Roll Lengths

Standard color material = 300'

PresGlo color material = 150'

Custom lengths available upon request.

Minimum Order

1 carton (9 rolls)



The most convenient way to dispense Roll Flagging is with the Presco Roll Flagging Belt Dispenser, page 15.

Patterned Roll Flagging



Material Thickness

Matte grade

Roll Width

1 3/16"

Custom widths available upon request.

Roll Lengths

Standard color material = 300'

PresGlo color material = 150'

Custom lengths available upon request.


Minimum Order

1 carton (12 rolls)

Presco Printed Roll Flagging provides additional messaging to reinforce your non-verbal communication. Printed on our Matte grade material, this roll flagging endures temperatures at or below -20°F.

Standard PVC Material Colors

See Color Legends for more details, page 1.



PresGlo PVC Material Colors

See Color Legends for more details, page 1.



Standard Ink Colors

See Color Legends for more details, page 1.




Presco Custom Prints Roll Flagging

Presco has hundreds of mats with various standard legends available to our customers (visit www.presco.com for a current listing of mat legends). Upon request, custom mats can be produced for your specific needs. Custom mat charge will apply. Presco's proprietary printing process requires controlled parameters. Please ask a Presco representative for details before placing your order.

For maximum distinctiveness, Presco Patterned Roll Flagging comes in Striped, Polka Dot and Checkerboard. Printed on Matte grade material, this roll flagging endures temperatures at or below -20°F. These resilient patterns add a wide assortment of choices for your non-verbal communication needs.

Standard Color Combinations (PVC Material/Ink)

See Color Legends for more details, page 1.
Not all color combinations available in all patterns.



PresGlo Color Combinations (PVC Material/Ink)


See Color Legends for more details, page 1.
Not all color combinations available in all patterns.



Presco Custom Prints Patterned Roll Flagging

A limited selection of our Patterned Roll Flagging can be imprinted with black ink. Please ask a Presco representative for details before placing your order.

Day/Night Visibility Roll Flagging



Material Thickness

Matte grade

Roll Width

1 3/16"

Custom widths available upon request.

Roll Lengths

Standard color material = 300'

PresGlo color material = 150'

Custom lengths available upon request.

Minimum Order

1 carton (12 rolls)

PRESCOLENE™
PROCESS IN ACTION

Brand New Technology – Presco Day/Night Visibility Roll Flagging is formulated with an exclusive nighttime visibility (NV) silver ink that is combined with our superior PVC plastic to provide a cost-effective and disposable solution to your customers' nighttime needs. In the dark, when a beam of light is directed at the stripes, light bounces back towards the source for enhanced nighttime visibility.

Standard PVC Material Colors

See Color Legends for more details, page 1.



R

PresGlo PVC Material Colors

See Color Legends for more details, page 1.



LG OG PG

Night Visibility Ink Color

See Color Legends for more details, page 1.



NVS

Nursery Roll Flagging



Material Thickness

Taffeta grade

Roll Width

1/2"

Roll Lengths

Standard color material = 300'

PresGlo color material = 150'


Minimum Order

1 carton (20 rolls)

Designed specifically for nursery and landscaping use, Presco Nursery Roll Flagging is slit to a narrow width to protect seedlings, saplings and other delicate plants.

Standard PVC Material Colors

See Color Legends for more details, page 1.



BK B G O P PP R



W Y

PresGlo PVC Material Colors

See Color Legends for more details, page 1.



BG GG LG OG PG RG YG

SizeRite Pocket Roll Flagging



Material Thickness

Matte grade

Roll Width

3/4"

Roll Length

100'

Minimum Order

1 carton (12 rolls shrink wrapped)


Presco SizeRite™ Pocket Roll Flagging is a cost effective solution for smaller projects that require high visibility identification. This flagging is durable, yet slender enough to fit several rolls in your pocket at one time.

PresGlo PVC Material Colors

See Color Legends for more details, page 1.



Biodegradable Roll Flagging



Roll Width

1"

Roll Length

100'

Minimum Order

1 carton (10 rolls shrink wrapped)

Presco Biodegradable Roll Flagging is today's most environmentally friendly marking solution. Made of non-woven cellulosic material derived from wood pulp, this flagging is completely non-toxic to humans, animals and the environment. Complete degradation will occur outdoors in six to twenty-four months depending on the climate and environmental conditions.

Biodegradable Material Colors

See Color Legends for more details, page 1.



Roll Flagging Belt Dispenser



Roll Flagging sold separately.

The Presco Roll Flagging Belt Dispenser is a convenient time-saver, letting you carry and dispense our standard-width flagging from your belt. It is made of durable anodized steel.

Special Width PVC



Material Thicknesses

See Material Grade chart, page 12.

Roll Widths

1/2" to 70"

Specify the width that fits your project needs.

Roll Lengths

Specify the length that fits your project needs.

Minimum Order

Call for details.

For over 30 years, Presco has been extruding flexible PVC film for a wide range of purposes to serve many industries. Presco Special Width PVC can be produced from any of our 4 material grades and slit to your custom roll width and length specifications. Perforation is available upon request. Matte grade material is ideal for printing personalized messaging.

Presco Special Width PVC can be used for:

- Convention and tradeshow drapery material
- Tablecloths
- Printed special event promotional flagging
- Colorful aerial paneling for long-distance visibility
- Binding and protecting foliage for transport
- Post-manufacturing conversion

Standard PVC Material Colors

See Color Legends for more details, page 1.
Most colors available in all grades.



PresGlo PVC Material Colors

See Color Legends for more details, page 1.
Most colors available in all grades.



Presco Custom Prints Matte Grade Special Width PVC

Upon request, custom mats can be produced for your specific needs. Custom mat charge will apply. Presco's proprietary printing process requires controlled parameters. Please ask a Presco representative for details before placing your order.

Customized Film




As a prime manufacturer of flexible PVC film, Presco formulates and mixes our own exclusive colors and compounds to be extruded and converted in our high-tech facility. Utilizing Presco for state-of-the-art equipment, innovative engineering and solution-solving experience will lead to a high-quality, cost-effective product. Please ask a Presco representative for more information on this division of the company.

Consumer products produced with Presco PVC Film:

- Air Handling Hoses/Recreational Vehicle Sewer Hoses
- Acoustic Ceiling Tiles
- Backlit Film/Draperies
- Band-Aids
- Banners
- Blood Bags/Medical Bags
- Brattice Cloth
- Flooring
- Inflatables
- Insulation
- Juvenile Mattresses
- Lamination
- Tenting/Awnings

Presco customized Polyethylene Film can be co-extruded with up to 3 polymers. Please call a Presco representative for more details.

Marking Whiskers



6" Marking Whiskers

Minimum order: 1,000 (1 box – 40 bundles of 25)

Presco 6" Marking Whiskers™ are an alternative marking choice for survey and construction sites, underground utility locating and many other uses. Virtually indestructible, these APWA color-coded Marking Whiskers spring back up when run over by lawn mowers, graders and heavy equipment. They are easily and conveniently attached to wood stakes or to 60-penny nails (not included). Use them alone or in conjunction with other marking products.

Presco Marking Whiskers are used for marking:

- Grades on construction sites
- Athletic fields
- Property boundaries
- Forest trees for harvest
- Cemetery plots
- Landscaping/Irrigation
- Underground utility marking

PRESKO QUICK TIP

When a road construction project is completed, Presco Marking Whiskers can be paved over...saving you time and the expense of removal.

Standard Material Colors

See Color Legends for more details, page 1.



PresGlo Material Colors

See Color Legends for more details, page 1.



Insertion Instructions



60-Penny Nail

Insert a 60-Penny Nail through the circular opening of the metal clip, then hammer the nail into the ground.



Wood Stake

Hammer the wood stake into the ground. Hold the Marking Whisker at the end opposite the metal clip and hammer the metal clip into the top of the wood stake.


Take your best shot...



Go ahead. Don't baby it.



Run it down...



...and it springs back up!

Marking Whiskers



Easy Tear-Off Markers



Material Thickness

3 Mil

Roll Width

12"

Roll Length

300'
Perforated every 12" (300 flags/roll)

Minimum Order

Call for details.

Nothing says "danger" like red. Presco Easy Tear-Off Markers™ are convenient disposable flags made of heavy, 3 Mil co-extruded polyethylene material that is perforated for convenient dispensing. These flags come in several styles to meet your identification requirements – solid, stripe or "Danger" legend. Just staple, nail, tape or tie to overhanging loads or wherever you want a fast, highly visible warning of a potential hazard.

Standard PE Material Colors

See Color Legends for more details, page 1.



R

Standard Ink Color

See Color Legends for more details, page 1.



BK

Night Visibility Ink Color

See Color Legends for more details, page 1.



NVS

Presco Prints Easy Tear-Off Markers

The stripe and "Danger" mat legends available for this product can be printed in either black or NV silver ink. Upon request, custom mats can be produced for your specific needs. Custom mat charge will apply. Presco's proprietary printing process requires controlled parameters. Please ask a Presco representative for details before placing your order.

Pennant Flags



Material Thickness

4 Mil

Flag Size

9" x 12"

Length

60' strand

Minimum Order

1 strand

Presco Pennant Flags are ideal for drawing attention to an event or defining an area perimeter. Common uses for these flags are sporting events, open houses, grand openings, construction sites and parking areas. Each pennant is constructed of 4 Mil polyethylene and double-sewn into a plastic covered, sag-resistant rope.

1-Color Strands

See Color Legends for more details, page 1.



R

Y

Multi-Color Strand

See Color Legends for more details, page 1.



B

G

O

R

W

Y

Aerial Paneling



Aerial Paneling
12" x 300' or 24" x 300'

Material Thickness
4 Mil

Minimum Order
1 roll

For aerial mapping and surveying jobs, Presco Aerial Paneling can be easily placed along a predetermined perimeter of an area to be photographed. These reusable, 4 Mil PVC panels save time and labor costs in your aerial project.

Striped Color Combination (PVC Material/Ink)

See Color Legends for more details, page 1.



W/BK

Aerial Targets



Aerial Targets
48" x 48"

Material Thickness
4 Mil

Minimum Order
1 target

Presco Aerial Targets can be secured at a predetermined point of reference to mark a target position for a fly-over. These stitched, 4 Mil PVC targets are manufactured with reinforced grommets in each corner, used to secure the marker to the ground. Two patterns are available to meet your project needs – the Bulls-Eye and the Iron Cross.

Standard PVC Color Combination (Material/Material)

See Color Legends for more details, page 1.



W/BK

Panasonic Alkaline Batteries



Minimum Order
1 carton (quantity/carton varies by battery size)

Panasonic Alkaline Batteries are designed for industrial performance with a 5-year life guarantee from the manufacturer. Resistant to leakage and 99.999% mercury free, these batteries are recognized as environmentally friendly.

Battery Sizes

AAA, AA, C, D and 9V

Krylon Industrial Quick-Mark Inverted Marking Paint



Solvent-Based Inverted Marking Paint

20 oz. Can (17 oz. net weight)

Minimum Order

1 case (12 cans)



Water-Based Inverted Marking Paint

20 oz. Can (17 oz. net weight)

Minimum Order

1 case (12 cans)

Krylon Industrial Quick-Mark™ Inverted Marking Paint uses a special, high-solids formulation for bold, bright, visible markings on virtually any surface – gravel, asphalt, soil, grass, stone, concrete and many more. This paint features one-coat coverage and a non-clogging spray tip for consistency and efficiency. The Spray-Thru™ cap allows for inverted painting ease. Choose from a wide variety of solvent or water-based colors in 20 oz. cans (17 oz. net weight).

Solvent-Based Inverted Marking Paint

Due to limitations in the printing process of this publication, actual product color cannot be accurately reproduced. The following colors are close representations for your selection convenience.

APWA Colors

-  Blue
-  Light Blue
-  Green
-  Bright Orange
-  Red
-  Utility White
-  High Visibility Yellow
-  Safety Yellow (Lead Free)

Fluorescent Colors

-  Fluorescent Blue
-  Fluorescent Neon Green
-  Fluorescent Orange
-  Fluorescent Hot Pink
-  Fluorescent Purple
-  Fluorescent Safety Red
-  Fluorescent Red/Orange

General Purpose Colors

-  Asphalt Black

Water-Based Inverted Marking Paint

Due to limitations in the printing process of this publication, actual product color cannot be accurately reproduced. The following colors are close representations for your selection convenience.

APWA Colors

-  Blue
-  Clear – Extends wear and impedes fading
-  Green
-  Orange
-  Brilliant Red
-  Brilliant White
-  Utility Yellow (Lead Free)

Fluorescent Colors

-  Fluorescent Caution Blue
-  Fluorescent Safety Green
-  Fluorescent Orange
-  Fluorescent Pink
-  Fluorescent Purple
-  Fluorescent Safety Red
-  Fluorescent Red/Orange

Krylon Line-Up® Marking Paints

Solvent-Based Pavement Paints and Water-Based Athletic Field Paints are also available. Please ask a Presco representative for details before placing your order.

Krylon Industrial Quick-Mark Inverted Marking Chalk



Water-Based Inverted Marking Chalk

20 oz. Can (15 oz. net weight)

Minimum Order

1 case (12 cans)

Krylon Industrial Quick-Mark™ Inverted Marking Chalk can be used on common surfaces when marking athletic fields, utilities, survey, construction, excavation and more. This water-based, VOC compliant chalk can last up to 30 days, yet be removed with water and a wire brush if desired. Features include one-coat coverage, a non-clogging spray tip and the Spray-Thru™ cap design for consistency and efficiency. Choose from a selection of APWA colors in 20 oz. cans (15 oz. net weight).

Water-Based Inverted Marking Chalk

Due to limitations in the printing process of this publication, actual product color cannot be accurately reproduced. The following colors are close representations for your selection convenience.

APWA Colors

-  APWA Blue
-  APWA Green
-  APWA Orange
-  APWA Red
-  APWA White
-  APWA Yellow

Presco Marking Chalk

Presco also carries Marking Chalk that is formulated to achieve a perfect line every time. Brilliant color oxides have been added to assure constant color tone for a strong, sharp appearance. This chalk is available in both 12 oz. and 5 lb. bottles in the following colors: Blue, Orange, Red, White, Yellow and PresGlo Orange. Please ask a Presco representative for details before placing your order.

Krylon Inverted Marking Wands



12" Spotter Hand-Held Wand

34" Wheeler Hand-Held Wand

Eliminate the annoyance of paint or chalk on your fingers by using one of the Krylon Marking Wands. There are two styles available – the 12" Spotter Hand-Held Wand or the back-saving 34" Wheeler Hand-Held Wand. Both are constructed of durable, rugged plastic and lightweight steel with a comfortable pistol grip for easy handling and marking.



“Made in America” – A 60-year reputation for quality and service

“Made in America.” That phrase applies to every Presco marking product, all of which are manufactured at our Sherman, Texas facility. “Made in America” also applies to the company itself.

In 1942, a young Texas entrepreneur named Robert “Earl” McMackin developed and patented the stadia rod to help seismologists search for oil. And Precision Specialties Company was born.

Earl spent nine years in the field with the professionals who used his products. Additional needs became apparent. By 1950, Presco patented a portable breast reel and multiple tools for the down-hole handling of dynamite. Additionally, Presco began the custom fabrication of sheet metal seismic supplies.

In 1966, Earl turned the reins over to his son, Ed. He incorporated Presco, and it grew to become the nation's leading prime manufacturer and distributor of plastic flagging and marking flags.

By the 1970s, Presco had expanded to extrude flexible PVC film for surveyor ribbon. When Ed's son, Waymon, became president in 1979, technology became a key part of the Presco success story. In 1987, Presco was awarded the prestigious title of “Computer-Integrated Manufacturing Company of the Year” by *Plastics Technology* magazine.

Today, Presco is America's premier manufacturer of industrial and commercial marking products and customized PVC films. Presco has built a 60-year reputation for extraordinary service and satisfaction, and an ongoing commitment to solving our customers' non-verbal communication needs.



1201 E. Pecan Street, Sherman, Texas 75090-5940

Toll Free 800.527.3295 **Phone** 903.870.2131 **Fax** 903.893.2328

Email sales@presco.com **Web** www.presco.com